From: DevelopmentControl <developmentcontrol@huntingdonshire.gov.uk>
Sent: 12 February 2025 11:50:43 UTC+00:00
To: "DevelopmentControl" <DevelopmentControl@huntingdonshire.gov.uk>
Subject: Comments for Planning Application 25/00115/TREE

Comments summary

Dear Sir/Madam,

Planning Application comments have been made. A summary of the comments is provided below.

Comments were submitted at 12/02/2025 11:50 AM from Mr Ben Stoehr.

Application Summary

Address:	2 Mill Close Hemingford Grey Huntingdon PE28 9DJ
Proposal:	Sycamore -Remove the four lowest branches due to risk to neighbouring telephone cable
Case Officer:	Sarah Cuming

Click for further information

Customer Details

Name:	Mr Ben Stoehr
Email:	parish.clerk@hemingfordgreyparishcouncil.gov.uk
Address:	30 West Drive Highfields Caldecote Caldecote Cambridgeshire

Comments Details

Commenter Type:	Town or Parish Council
Stance:	Customer objects to the Planning Application
Reasons for comment:	
Comments:	Hemingford Grey Parish Council object to the application: Could be TPO 004/59. The application has been made by the home owner, not a professional tree surgeon. The application is for removal of 4 lower branches but also refers to a branch damaged over the road and one near the telephone line. The PC is unsure whether the removal of the 4 lower branches would clear the phone line and the damaged branch is

higher.
The Parish Council is not sure on whether the work is justified.

Kind regards