Remove existing wall and door (shown dotted)
to allow new stairs to rise 2.0m above existing.
New / resited door in new 1/2hr fire res partition.



PROPOSED FIRST FLOOR PLAN



Scale - 1:50

(S) Interconnected mains operated
smoke detector with battery back-up.
300mm min from any light fitting

(H) Interconnected mains operated optical
smoke detector with battery back-up.
300mm min from any light fitting

NOTE :
Grade D1 Catagory LD2 AFD SYSTEM (IN ACCORDANCE WITH
BS 5839-6 : 2019) TO BE INSTALLED INCORPORATING DETECTORS IN ALL
CIRCULATION SPACES THAT FORM PART OF THE ESCAPE ROUTES FROM THE
DWELLING & IN ALL ROOMS THAT REPRESENT A HIGH RISK TO OCCUPANTS
INCLUDING A HEAT DETECTOR IN THE KITCHEN

ST.NEOTS LOFT CONVERSIONS LTD.

Mrs D. LARRAD

2 Tennis Court Avenue,
Huntingdon, Cambs. PE29 1WW

PROPOSED LOFT CONVERSION

SCALE :	1:50	Drawing number :	
DATE :	Dec 2024	2310 / 05 - 25	
BY :	A. Lloyd	Revision :	Sheet :
SHEET :	2 of 8	0	A3

Copyright Adrian Lloyd
All dimensions to be verified on site