Bedrooms to affected fascades requiring additional ventilation due to windows being closed at night

Enhanced glazing/ ventilation required to affected facades.

All information above is taken from the Environmental Noise Assessment Report, produced by Noise.co.uk. Last amended: 12th December 2023.

Report reference: 22141-1-R3

Predicted facade sound insulation specification (Glazing/Ventilator)

Living rooms (Daytime)	Bedrooms (Night-time)
32dB $R_w + C_{Tr}$ /38dB $D_{ne,w} + C_{Tr}$	29dB $R_w + C_{Tr}$ /35dB $D_{ne,w} + C_{Tr}$

2No. Demountable bollards to control vehicular access

Emergency Access

Balancing Pond

Revision.

Job. LITTLE PAXTON EMPLOYMENT LAND

Title. NOISE MITIGATION PLAN

Scale. 1:500 @ A2

Drawn. HB

Date. APR 2024

Checked.

THIS DRAWING AND THE BUILDING WORKS DEPICTED ARE THE COPYRIGHT OF J.S.BLOOR (NORTHAMPTON) LIMITED AND MAY NOT BE REPRODUCED OR AMENDED EXCEPT BY WRITTEN PERMISSION. NO LIABILITY WILL BE ACCEPTED FOR AMENDMENTS MADE BY OTHER PERSONS
DO NOT SCALE THIS DRAWING, USE FIGURED DIMENSIONS ONLY, IF IN DOUBT ASK.

BLOOR HOMES®

BLOOR HOMES LIMITED
PRIMUS HOUSE, CYGNET DRIVE
SWAN VALLEY, NORTHAMPTON, NN4 9BS
TELEPHONE 01604 6844000 FACSIMILE 01604 684401

Drawing No. SM05413-SL-200

Rev.