SITE 2 - ST MARY THE VIRGIN CHURCH, GODMANCHESTER								
T92	Copper Beech	M	F	Single stem tree. Moderate deadwood and some large deadwood.	Remove deadwood.	B		
T98	Yew	M	F	Single stem tree. Low crown over path. No other significant defects.	Raise crown over path to 2.5ms.	B		
T119	Lime	M	F	Above average deadwood and basal growth. Tree overhangs school. Large amount of deadwood within falling distance of Primary School.	Remove deadwood and basal growth then re-inspect for Ustilina.	A		
T121	Crab Apple	M	F	Multi stem from 1.8ms. Ivy-covered with minor deadwood.	Sever ivy to prevent full encroachment into crown.	B		
T125	Lime	M	F	Single stem tree. Basal growth. Moderate to large amount of deadwood.	Remove deadwood.	B/C		
T126	Lime	M	F	Single stem tree. Basal growth and moderate deadwood. One lodged low limb.	Remove lodged limb and deadwood	B/C		
T310	Ash	M	F	Multi stem from base. Large amount of deadwood over path. Tree has had over-extended limbs reduced.	Remove deadwood.	B/C		
T133	Sycamore	M	F	Twin stem from base. Ivy severed since 2018 survey. Large amount of deadwood. Suspect Sooty Bark Disease.	Remove deadwood and reinspect in Summer 2026.	B DN		
T139	Lawson Cypress	M	F	Single stem tree. Ivy-covered. Minor deadwood.	Sever ivy.	C		
T140	Cedar	M	F	Single stem tree. Moderate deadwood and foliage touching lamp column. Ivy-covered.	Prune to clear lamp column. Sever ivy. Clear up fallen limb.	C/B		

				Recent wind-blown limb.				
T141	Holly	M	F	Single stem tree. Ivy-covered. Minor deadwood. No other significant defects.	Sever ivy.			
T145	Lawson Cypress	M	F	Twin stem from base with one dead hanging branch. No other significant defects.	Remove dead hanging branch.			
T152	Hawthorn	M	F	Ivy-covered with very sparse crown.	Sever ivy.	B/C		